

Güte	Abmessung	Bundgewicht	Vorrat / Neueingang	Längen
1.4104+QT650	25 h9	494 kg	Vorrat	5700-5900mm
1.4104+QT650	30 h9	499 kg	Vorrat	
1.4104+QT650	50 h9	527 kg	Vorrat	5800-5900mm
1.4104+QT650	50 h9	755 kg	Vorrat	4800-5500mm
1.4104+QT650	55 h9	112 kg	Vorrat	3000-3200mm
1.4104+QT650	60 h9	596 kg	Vorrat	3000-3200mm
1.4104+QT650	60 h9	537 kg	Vorrat	3000-3200mm
1.4104+QT650	110 k13	872 kg	Vorrat	5700-5900mm
1.4104+QT650	110 k13	418 kg	Vorrat	5100mm
1.4104+A	8 h9	882 kg	Vorrat	
1.4104+A	8 h9	782 kg	Vorrat	
1.4104+A	8 h9	720 kg	Vorrat	
1.4104+A	8 h9	734 kg	Vorrat	
1.4104+A	10 h9	710 kg	Vorrat	
1.4104+A	10 h9	930 kg	Vorrat	
1.4104+A	10 h9	750 kg	Vorrat	
1.4104+A	10 h9	670 kg	Vorrat	
1.4104+A	10 h9	672 kg	Vorrat	
1.4104+A	12 h9	708 kg	Vorrat	3000-3200mm
1.4104+A	12 h9	668 kg	Vorrat	3000-3200mm
1.4104+A	12 h9	808 kg	Vorrat	
1.4104+A	12 h8	620 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	620 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	600 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	612 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	612 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	612 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	612 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	616 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	622 kg	Vorrat	5000-5020mm
1.4104+A	12 h8	590 kg	Vorrat	5000-5020mm
1.4104+A	20 h8	684 kg	Vorrat	5000-5020mm
1.4104+A	20 h8	656 kg	Vorrat	5000-5020mm
1.4104+A	20 h8	696 kg	Vorrat	5000-5020mm
1.4104+A	20 h8	674 kg	Vorrat	5000-5020mm
1.4104+A	20 h8	680 kg	Vorrat	5000-5020mm
1.4104+A	20 h8	670 kg	Vorrat	5000-5020mm
1.4104+A	20 h8	700 kg	Vorrat	4700-4980mm
1.4104+A	20 h8	670 kg	Vorrat	4700-4980mm
1.4104+A	20 h8	670 kg	Vorrat	4700-4980mm
1.4104+A	20 h8	725 kg	Vorrat	4700-4980mm
1.4104+A	35 h9	710 kg	Vorrat	6000-6100mm
1.4104+A	35 h9	798 kg	Vorrat	6000-6100mm
1.4104+A	35 h9	400 kg	Vorrat	6000-6100mm
1.4104+A	35 h9	990 kg	Vorrat	4954-6000mm
1.4104+A	45 h9	816 kg	Vorrat	5900-6000mm
1.4104+A	45 h9	716 kg	Vorrat	5900-6000mm
1.4104+A	45 h9	926 kg	Vorrat	5900-6000mm
1.4104+A	45 h9	952 kg	Vorrat	5900-6000mm
1.4104+A	45 h9	870 kg	Vorrat	5900-6050mm
1.4104+A	45 h9	870 kg	Vorrat	5900-6050mm
1.4104+A	45 h9	872 kg	Vorrat	5900-6050mm
1.4104+A	45 h9	876 kg	Vorrat	5900-6050mm
1.4104+A	45 h9	70 kg	Vorrat	2300-2700mm
1.4104+A	50 h9	573 kg	Vorrat	2300-2700mm
1.4104+A	50 h9	665 kg	Vorrat	2300-2700mm
1.4104+A	50 h9	664 kg	Vorrat	2300-2700mm
1.4104+A	50 h9	576 kg	Vorrat	2300-2700mm

Güte	Abmessung	Bundgewicht	Vorrat / Neueingang	Längen
1.4104+A	50 h9	515 kg	Vorrat	2300-2700mm
1.4104+A	50 h9	568 kg	Vorrat	2300-2700mm
1.4104+A	50 h9	710 kg	Vorrat	2300-2700mm
1.4104+A	50 h9	666 kg	Vorrat	2300-2700mm
1.4104+A	55 h9	281 kg	Vorrat	3000-3200mm
1.4104+A	55 h9	520 kg	Vorrat	3000-3200mm
1.4104+A	60 h9	580 kg	Vorrat	3000-3200mm
1.4104+A	60 h9	588 kg	Vorrat	3000-3200mm
1.4104+A	60 h9	618 kg	Vorrat	5900-5950mm
1.4104+A	80 k12	958 kg	Vorrat	6000-6300mm
1.4104+A	80 k12	452 kg	Vorrat	6000-6300mm
1.4104+A	80 k12	486 kg	Vorrat	6000-6300mm
1.4104+A	80 k12	1.034 kg	Vorrat	6600-6850mm
1.4104+A	80 h11	959 kg	Vorrat	6200-6400mm
1.4104+A	80 h11	972 kg	Vorrat	6200-6400mm
1.4104+A	80 h11	680 kg	Vorrat	6200-6400mm
1.4104+A	90 k12	916 kg	Vorrat	6100-6400mm
1.4104+A	90 k12	980 kg	Vorrat	6600-6780mm
1.4104+A	90 k12	246 kg	Vorrat	5000mm
1.4021+QT700	16 h8	440 kg	Vorrat	
1.4021+QT700	16 h8	440 kg	Vorrat	
1.4021+QT700	16 h8	440 kg	Vorrat	
1.4021+QT700	16 h8	442 kg	Vorrat	
1.4021+QT700	16 h8	439 kg	Vorrat	
1.4021+QT700	16 h8	439 kg	Vorrat	
1.4021+QT700	16 h8	439 kg	Vorrat	
1.4021+QT700	16 h8	434 kg	Vorrat	
1.4021+QT700	16 h8	441 kg	Vorrat	
1.4021+QT700	18 h9	1.108 kg	Vorrat	
1.4021+QT700	18 h9	820 kg	Vorrat	
1.4021+QT700	25 h8	379 kg	Vorrat	3000-3200mm
1.4021+QT700	25 h8	418 kg	Vorrat	3000-3200mm
1.4021+QT700	25 h8	418 kg	Vorrat	3000-3200mm
1.4021+QT700	25 h8	418 kg	Vorrat	3000-3200mm
1.4021+QT700	25 h8	418 kg	Vorrat	3000-3200mm
1.4021+QT700	25 h8	418 kg	Vorrat	3000-3200mm
1.4021+QT700	25 h8	398 kg	Vorrat	3000-3200mm
1.4021+QT700	25 h8	368 kg	Vorrat	3000-3200mm
1.4021+QT700	25 h8	416 kg	Vorrat	3000-3200mm
1.4021+QT700	25 k12	290 kg	Vorrat	5700-5950mm
1.4021+QT700	25 k13	290 kg	Vorrat	5700-5950mm
1.4021+QT700	25 k12	736 kg	Vorrat	6000-6200mm
1.4021+QT700	25 k13	736 kg	Vorrat	6000-6200mm
1.4021+QT700	25 k12	205 kg	Vorrat	1955mm
1.4021+QT700	25 k12	309 kg	Vorrat	1955mm
1.4021+QT700	25 k12	303 kg	Vorrat	1955mm
1.4021+QT700	25 k12	198 kg	Vorrat	1955mm
1.4021+QT700	25 k12	177 kg	Vorrat	1955mm
1.4021+QT700	25 k13	205 kg	Vorrat	1955mm
1.4021+QT700	25 k13	309 kg	Vorrat	1955mm
1.4021+QT700	25 k13	303 kg	Vorrat	1955mm
1.4021+QT700	25 k13	198 kg	Vorrat	1955mm
1.4021+QT700	25 k13	177 kg	Vorrat	1955mm
1.4021+QT700	25 k12	665 kg	Vorrat	
1.4021+QT700	25 k12	710 kg	Vorrat	
1.4021+QT700	25 k12	700 kg	Vorrat	
1.4021+QT700	25 k13	665 kg	Vorrat	
1.4021+QT700	25 k13	710 kg	Vorrat	

Güte	Abmessung	Bundgewicht	Vorrat / Neueingang	Längen
1.4021+QT700	25 k13	700 kg	Vorrat	
1.4021+QT700	25 h9	622 kg	Vorrat	5500-6000mm
1.4021+QT700	34 h9	660 kg	Vorrat	5700-6000mm
1.4021+QT700	40 h9	825 kg	Vorrat	3000-3200mm
1.4021+QT700	40 h9	825 kg	Vorrat	3000-3200mm
1.4021+QT700	40 h9	690 kg	Vorrat	3000-3200mm
1.4021+QT700	50 h9	100 kg	Vorrat	3000-3200mm
1.4021+QT700	55 h9	214 kg	Vorrat	5700-6000mm
1.4021+QT700	55 h9	852 kg	Vorrat	5700-6000mm
1.4021+QT700	55 h9	864 kg	Vorrat	5700-6000mm
1.4021+QT700	55 h9	755 kg	Vorrat	
1.4021+QT700	55 h9	744 kg	Vorrat	
1.4021+QT700	55 h9	700 kg	Vorrat	
1.4021+QT700	55 h9	400 kg	Vorrat	
1.4021+QT700	55 h9	738 kg	Vorrat	
1.4021+QT700	55 h9	680 kg	Vorrat	
1.4021+QT700	70 k12	1.076 kg	Vorrat	5600-6050mm
1.4021+QT700	70 k12	1.052 kg	Vorrat	5600-6050mm
1.4021+QT700	70 k12	900 kg	Vorrat	5600-6050mm
1.4021+QT700	70 k12	1.104 kg	Vorrat	5600-6050mm
1.4021+QT700	70 k12	712 kg	Vorrat	5600-6050mm
1.4021+QT700	70 k12	364 kg	Vorrat	5600-6050mm
1.4021+QT700	70 k12	531 kg	Vorrat	5600-6050mm
1.4021+QT700	90 k12	877 kg	Vorrat	5700-6050mm
1.4021+QT700	90 k12	870 kg	Vorrat	5700-6050mm
1.4021+QT700	90 k12	1.133 kg	Vorrat	5700-6050mm
1.4021+QT700	90 k12	876 kg	Vorrat	5700-6050mm
1.4021+QT700	90 k12	1.144 kg	Vorrat	5700-6050mm
1.4021+QT700	90 k12	851 kg	Vorrat	5700-6050mm
1.4021+QT700	90 k12	864 kg	Vorrat	5700-6050mm
1.4057+QT800	10 h9	383 kg	Vorrat	
1.4057+QT800	12 h9	696 kg	Vorrat	
1.4057+QT800	16 h9	801 kg	Vorrat	3000-3200mm
1.4057+QT800	16 h9	730 kg	Vorrat	3000-3200mm
1.4057+QT800	20 h9	812 kg	Vorrat	3000-3200mm
1.4057+QT800	22 h9	264 kg	Vorrat	5000-5950mm
1.4057+QT800	25 h9	1.170 kg	Vorrat	
1.4057+QT800	25 h9	894 kg	Vorrat	
1.4057+QT800	25 h9	940 kg	Vorrat	
1.4057+QT800	25 h9	602 kg	Vorrat	
1.4057+QT800	25 h9	990 kg	Vorrat	
1.4057+QT800	25 h9	950 kg	Vorrat	
1.4057+QT800	25 h9	558 kg	Vorrat	
1.4057+QT800	26 h9	1.083 kg	Vorrat	5600-5950mm
1.4057+QT800	28 h9	1.084 kg	Vorrat	5650-5750mm
1.4057+QT800	28 h9	646 kg	Vorrat	5400-5900mm
1.4057+QT800	28 h9	343 kg	Vorrat	4900-5900mm
1.4057+QT800	30 h9	896 kg	Vorrat	3000-3200mm
1.4057+QT800	30 h9	894 kg	Vorrat	3000-3200mm
1.4057+QT800	30 h9	868 kg	Vorrat	3000-3200mm
1.4057+QT800	30 h9	732 kg	Vorrat	3000-3200mm
1.4057+QT800	30 h9	682 kg	Vorrat	3000-3200mm
1.4057+QT800	30 h9	894 kg	Vorrat	3650-4120mm
1.4057+QT800	32 h9	361 kg	Vorrat	5600-5950mm
1.4057+QT800	35 h9	100 kg	Vorrat	2700-2800mm
1.4057+QT800	45 h9	666 kg	Vorrat	6000-6400mm
1.4057+QT800	45 h9	696 kg	Vorrat	6000-6400mm
1.4057+QT800	45 h9	424 kg	Vorrat	

Güte	Abmessung	Bundgewicht	Vorrat / Neueingang	Längen
1.4057+QT800	45 h9	765 kg	Vorrat	
1.4057+QT800	45 h9	757 kg	Vorrat	
1.4057+QT800	50 h9	901 kg	Vorrat	
1.4057+QT800	50 h9	432 kg	Vorrat	5400-5950mm
1.4057+QT800	50 h9	638 kg	Vorrat	
1.4057+QT800	50 h9	582 kg	Vorrat	
1.4057+QT800	55 h9	577 kg	Vorrat	
1.4057+QT800	55 h9	573 kg	Vorrat	
1.4057+QT800	55 h9	902 kg	Vorrat	
1.4057+QT800	55 h9	752 kg	Vorrat	
1.4057+QT800	55 h9	720 kg	Vorrat	5500-5950mm
1.4057+QT800	55 h9	418 kg	Vorrat	5500-5950mm
1.4057+QT800	55 h9	638 kg	Vorrat	
1.4057+QT800	55 h9	222 kg	Vorrat	
1.4057+QT800	60 h9	1.014 kg	Vorrat	5700-5800mm
1.4057+QT800	70 k12	724 kg	Vorrat	5500-6000mm
1.4057+QT800	70 k12	706 kg	Vorrat	5500-6000mm
1.4057+QT800	70 k12	722 kg	Vorrat	5500-6000mm
1.4057+QT800	70 k12	694 kg	Vorrat	5500-6000mm
1.4057+QT800	70 k12	706 kg	Vorrat	5500-6000mm
1.4057+QT800	85 k12	770 kg	Vorrat	5000-6000mm
1.4057+QT800	85 k12	770 kg	Vorrat	5000-6000mm
1.4542	30 k12	752 kg	Vorrat	
1.4034+A	70 h9	336 kg	Vorrat	3300-3950mm
1.4034+A	80 k12	458 kg	Vorrat	6000-6050mm
1.4034+A	80 h9	628 kg	Vorrat	4800-5850mm
1.4021+A	13 h8	470 kg	Vorrat	3000-3200mm
1.4021+A	7 h8	470 kg	Vorrat	3000-3200mm
1.4021+A	13 h8	460 kg	Vorrat	3000-3200mm
1.4021+A	7 h8	460 kg	Vorrat	3000-3200mm